



Design Report

by

THYKEtech


CONTENTS

<i>1- A BRIEF EXPLANATION</i>	<i>3</i>
<i>1.1 Xchanger is a Composite System</i>	<i>3</i>
<i>1.2 Xchanger is a News Server</i>	<i>4</i>
<i>1.3 Xchanger provides WebMail Interface</i>	<i>4</i>
<i>1.4 Xchanger has Mail Lists</i>	<i>4</i>
<i>1.5 Xchanger Publishes and Receives RSS Documents</i>	<i>5</i>
 <i>2- USE CASE DIAGRAMS</i>	 <i>6</i>
<i>2.1 Use Case Diagrams for Administrators</i>	<i>6</i>
<i>2.2 Use Case Diagrams for Members</i>	<i>8</i>
 <i>3- CLASS DIAGRAMS</i>	 <i>11</i>
 <i>4- DATABASE DIAGRAMS</i>	 <i>14</i>
 <i>5- GRAPHICAL INTERFACES</i>	 <i>15</i>
<i>5.1 GUIs Related To email Lists</i>	<i>15</i>
<i>5.2 GUIs Related To RSS & News Groups</i>	<i>19</i>
<i>5.3 GUIs Related To Mail Lists</i>	<i>25</i>
<i>5.4 GUIs Related To Web Mail</i>	<i>33</i>

1 - Xchanger : A Brief Explanation

1.1 - Xchanger is a Composite System:

Xchanger has several more basic components in its body (figure 1). Those components include News Server, Mail Server, XML Feeders and Web Interfaces, SQL Database, RSS Archive, File Archive and the Core. All these components' harmony is kept by the Core of the system. News Server and Mail Server have their own databases. They save data related to only what their names suggest. However a separate SQL Database is built to logically connect the data in the two other databases for numerous features of the system described below. The SQL Database also holds data for user information. For often-repeated information requests, XML Archive takes the jobs to fasten the system. File Archive is where the public attachments will be saved.



1.2 - Xchanger is a News Server:

Users of the system are able to subscribe to news groups of the system and to post and read articles. While sending and receiving posts, users will be able to attach files for others to download. These attachments are going to be moved to the system's archives for later downloads by any other user. System will be providing a search feature to its users. To make the search feature work, key words for those attachments are going to be either derived by the system using some smart techniques or given by the uploader with some description to aid later search.

1.3 - Xchanger provides WebMail Interface:

System has a webmail interface for its users to send and receive mails. In addition to this, users have some amount of quota and can save their file on the systems servers. Whenever the user wishes or the quota is full, all the files in a specific directory, with one click, can be downloaded to the users PC and free their space. Users can modify their options such that they will be able receive the articles those are sent to user-specified news groups and read these articles using their mail accounts. The same is available for mail lists. RSS documents from any source will also be available to be read using mail accounts.

1.4 - Xchanger has Mail Lists:

People who have already joined the Xchanger system will also be able to join mail lists. Each mail list has its owner and, if needed, with the approval of the owner of that mail lists users will be able read mails those are posted by other members of that mail list. Via mail lists, users are able to make attachments. If the sender gives permission, these attachments will be moved to the systems archives and available for other users of the system just like it was in news groups. Making suitable

adjustments to their account options, users can read and reply mail to mail lists, using their email accounts.


1.5 - Xchanger Publishes and Receives RSS Documents:

System is capable of publishing RSS documents to its users which are going to be compiled according to previously user-determined criteria. Those RSS documents may include data which is compiled using the system's news server databases. In other words, users are going to be able to get RSS documents which include articles those are posted to the system's new groups, and publish them anywhere they want. System also can get RSS documents from the users. Using this feature users will be able to publish their own data (may be blogs etc.) using the system's interfaces.


2 – Use Case Diagrams

2.1 – Use Case Diagrams for Administrator:


Use Case Diagram: Administrator / Members



Use Case Diagram: Administrator / Mail Lists




Use Case Diagram: Administrator / News Groups




2.2 – Use Case Diagrams for Members:


Use Case Diagram: Member / News Group




Use Case Diagram: Member / RSS





Use Case Diagram: Member / Mail List






Use Case Diagram: Member / Webmail



3 – Class Diagrams





Eklenti	
yol	: String
reyting	: Int
dosyaAdi	: String
anahtarKelimeler	: String[]
tarih	: Date
boyut	: Long

CollectionBase
InnerList : Object[]



Eklentiler
eklentiler : Eklenti[]

Makale	
baslik	: String
metin	: String
gonderen	: Kisi
eklentiler	: Eklentiler
tarih	: Data
makaleler	: Makaleler
ilkMakale	: Bool

CollectionBase
InnerList : Object[]



Makaleler
makaleler : Makale[]

Secenekler	
metin	: String
secilmeAdeti	: Int
secenlar	: Kisiler


DizinTipi	
id	: Int
adi	: String

MailStatu	
id	: Int
adi	: String

Kontak	
sahip	: Kisi
kontakListesi	: Kisiler
isim	: Dizin
tarih	: Date

Dizin	
adi	: String
ePostalar	: EPostalar
dizinTipi	: DizinTipi
tarih	: Date

4 – Database Diagrams



5 – Graphical User Interfaces

5.1 - GUIs Related To email Lists:

EPosta-Listesi:

EPosta Listeleri:

Liste 1	▲
Liste 2	□
Liste 3	□
Liste 4	□
Liste 5	▼

Secilen E-Posta Listesi icin:

Ana Sayfasina Git	Uye Listesi	Sil
--	--	------------------------------------

Uyeler Listesi:

Uye 1	▲
Uye 2	□
Uye 3	□
Uye 4	□
Uye 5	▼

[Uye Detayi Goster >>](#)

Descriptions:

E-Posta Listesi: Describes related e-mail list. In order to find it, [Ara] button is used.

E-Posta Listeleri: Describes result of search. Lists found are listed.

Secilen Eposta Listesi icin: Describes operations for the selected e-mail list in the list.

Ana Sayfasina Git: Button to go to the main page of the selected list. In the main page, administrator reaches all data of the list including mails, files etc.

Uye Listesi: Button to list the members of the selected list.

Sil: Button to delete the selected list.

Uyeler Listesi: Describes the list of the members of the selected list. It is displayed after clicking [Uye Listesi] button. A member is selected from the list.

Uye Detayi Goster: Describes the hyperlink for displaying details of the selected member from *Uyeler Listesi*.

Opsiyonlar:

☐ Yeni grup olustur

☒ Grubu pasif yap

☐ Grubu aktiflestir

Haber Gruplari Listesi:

List Item 1	▲
List Item 2	
List Item 3	
List Item 4	
List Item 5	▼

Adi:

Yolu:

Descriptions:

Opsiyonlar: Describes the option list of the page.

Yeni Grup Olustur: Describes the option to create a new news group.

Grubu Pasif Yap: Describes the option to make a group passive.

Grubu aktiflestir: Describes the option to activate a passive group.


Haber Gruplari Listesi: Describes the list of news groups. The list changes according to selected option.

Adi: Describes the name of the newly created group. This is displayed if 'Yeni Grup Olustur' option is selected

Yolu: Describes the path of the newly created group. This is displayed if 'Yeni Grup Olustur' option is selected.

Uygula: Button to apply changes.

Iptal: Button to cancel changes.



Haber Gruplari Listesi:

- List Item 1
- List Item 2
- List Item 3
- List Item 4
- List Item 5

Arsivleme Tipleri:

☒ Sunucudan silerek arsvile

☐ Sunucudan silmeden arsvile

Tamam Iptal

Descriptions:


Haber Gruplari Listesi: Describes the list of available news groups. One of them is selected to go forward application.

Arsivleme Tipleri: Describes the types of archiving news groups. If 'Delete the articles from server' is selected, then articles are deleted from database of the news server and archived on the web server computer. Hence, articles are not displayed in the list of articles of the group however, in a detailed search; administrator is able to reach archived articles.

Tamam: Button to apply changes.

Iptal: Button to cancel changes.

5.2 - GUIs Related To RSS & News Groups:



Descriptions:

This is the main page of newsgroups. There are three main parts in the page. One is at left side. The list of subscribed newsgroups is here. The second part (at upper part of body) is the list of article names of chosen news group. The third part is at bottom side of site. At this part user can see an article with the properties (subject, sender of articles, possible attachments). User can click a newsgroup in first part. Then, the articles of it are listed at second side. Then, user can click an article to see it at third part.

There are also some tools at this page. These are:

- **Write:** This is for writing an article. If user chooses an article and clicks **Write**, then this will be a reply of the article


- **Seçili Olanlari...**: This tool has three options for selected articles: these are **Sending Mail**, **Make Read**, **Download** and **Don't Show Me**
- **Ara** : Searching tool

The screenshot shows a web application titled "Untitled Document - Mozilla Firefox". The interface is divided into several sections:

- Left Sidebar:** Contains navigation links: "Gözetim", "Sağık", "Otomatik", and "Gözetim". Below these is a search bar with a "BİTİ" button.
- Main Table:** A table listing articles with columns for "Rac bilgisayar topluluğu", "User", "Date", and "Size". The table contains several rows of data, including users like "Uğur YILDIRIM", "HAKAN EMERCI", "Cemre GUNGÖR", and "Burcu SAPAZ".
- Form Section:** Below the table, there is a form for sending an article. It includes fields for "Subject:", "From: username", "CC:", and "Date: date (file 12/12/2006 23:23)". There is also an "avatar" label and a "Gönder" button at the bottom right.

Descriptions:

This page is for sending articles. There three text box. One is subject of article, one is the receiver newsgroup, or other user's mail addresses. The last is for body of article. And the button **Gönder** finalizes the sending.



Descriptions:

This is the setting page about subscribing to newsgroups. User can select the newsgroups and subscribe them using **Kaydet** button. **Vazgeç** button is for discarding the changes and go back to main newsgroups side. User can also make search among the newsgroups using **Ara** tool.

Tyketech - RSS

RSS kullanımı
Sık sorulan sorular
Gerekli programlar

- ◆ Rss reader
- ◆ Rss writer

Mevcut Rss beslemeleri

- ☐ Ses grubu
- ☒ Sinema grubu
- ☐ spor [3 aralıktan sonra]
- ☐ otomobil [son 20]

RSS beslemelerim

- ☐ my rss
- ☐ Gezi

>>>>

<<<<

ayrıntı goster

Add Custom RSS

Rss adı

Haber grubu seç

hepsi
Ses
Sinema
spor

☐ Çift yönlü rss istiyorum

Kişi seç

hepsi
alfa
freefuad
tolgaccik

Tarih seçenekleri

☐ son 1 article

☐ 29 Kasım 2006 tarihinden itibaren

☐ son 1 gün

kaydet Temizle


Descriptions:

This page is the main RSS page. At this page, there is a menu at left-hand side. Using this menu, user can:

- Get information about usage of RSS, keywords etc. by using the links **RSS Kullanımı** and **Sıkça Sorulan Sorular**.
- Download tools:
 - **RSS Reader:** To read RSSs any where this program or code supplies users multiply options to read. And also one can read other RSS feeds.
 - **RSS Writer:** This tool is for double sided RSS users. User wants to send articles in their own sides can write their articles to RSS documents using this tool.

The body of the site supplies users choosing any RSS feed or forming a new custom RSS.

- **Choosing RSS:** There are two lists at the upper side of body of part. One of them includes the RSS pool. Other is user's own RSSs. User can choose a RSS from the RSS pool and transfer it to his own side using ">>>>" button. Also user can transfer his/her own RSS to the RSS pool for other users to use if there is not same RSS in the pool.
- User can choose any RSS: s/he can see the details of it by using **Ayrıntı Göster** button. This is another page was shown below.
- User also can form a new custom RSS feed at bottom part of the body. The steps of forming RSS:
 - **RSS Adi:** Name of RSS feed
 - **Haber Grubu Seç:** Choosing a newsgroup. It can be chosen **Hepsi** to choose all newsgroups.
 - **Çift Yönlü RSS İstiyorum:** This checkbox means double side RSS. If this is checked, the steps below will be disabled and will be set default values.
 - **Kişi Seç:** Choosing a member. It can be chosen **Hepsi** for choosing all members. This step means that user can choose any one's articles.
 - **Tarih Seçenekleri:** There are three options to determine constraints about date
 - **Son x Makale:** Means last 1 or 5 or 10 or 20 articles
 - **...Den İtibaren:** Means "since any date"
 - **Son x Gün:** Means 1 or 5 or 10 days' articles
 - **Kaydet:** Saves the RSS feed.
 - **Temizle:** Clears the forms to theirs defaults values.



Descriptions:


This page is for the details of RSS feeds. User can see the details of RSS here. If the feed is user's own feed, then s/he can change its some details.

- **RSS Adı:** Name of RSS feed
- **RSS Path:** The path of RSS that user can reach it to read;
- **Haber Grubu Seç:** Choosing a newsgroup. It can be chosen **Hepsi** for choosing all newsgroups.
- **Çift Yönlü RSS İstiyorum:** This checkbox means double sided RSS. If this is checked, the steps below will be disabled and will be set default values.
- **Kişi Seç:** Choosing a member. It can be chosen **Hepsi** for choosing all members. This step means that user can choose any ones articles only
- **Tarih Seçenekleri:** There are three options to determine constraints about date
 - **Son x Makale:** Means last 1 or 5 or 10 or 20 articles
 - **...Den İtibaren:** Means "since any date"

- **Son x Gün:** Means 1 or 5 or 10 days' articles
- **Kaydet:** Saves the RSS feed.
- **Vazgeç:** No change is done. It also means "go back to main RSS page".

5.3 - GUIs Related To Web Mail:

Although it is easy to understand, we will explain some important parts of the below user interfaces. Also we will try to explain the idea behind.



Descriptions:

Yildizli Postalar holds the important mails that are starred by the user before. User can create new directories and can easily edit them. User can hold copy of the sent mails in **Giden Postalar** box. If the user does not have enough time to finish writing mail and sending, s/he can save it as draft mail into **Taslaklar** box and sends it later. So many times we encounter with unnecessary mails. In this project we will use some tools that will detect such kind of mails and collect them in the **Spam Kutusu**. As we may need to take back mails that are deleted by mistake, deleted mails collected in the **Cop Kutusu**. User may be so tidy in his/her job; s/he may want to categorize mails. With **Dizinler**, s/he can do it. User can add new contacts and can easily edit them. Also user may select contacts from **Hizli Kontaklar** in order to send mail quickly. User can search mails in directories and mail boxes. To ease user's job we will hold all the attachments separately and by the help of this user can search in attachments and pictures. User can make some filters to the incoming emails and can direct them. Some times user may go travel and need some static responses to the incoming mails. Then they can use **Otomatik Cevaplandirma** in our system and by defining criteria they can travel cheerfully. User can delete mails and can report mails if they are spam or not spam. Also in our system user may archive the selected mails and save them to their computer. User can mark mails as **Okunmus**, **Okunmamis**, **Yildizli**, and **Yildizsiz** and can select mails according to these properties. They can move mails as it can be seen in the **Tasi...** combo box from one directory to other. Besides user may have hundreds of mails, for that we serve mails page by page to increase the efficiency. Also by clicking **Ayarlar** at the top, s/he can change its user settings. Also s/he can log out by using **Cikis**.

User can use directories to be tidy. S/he can add new directories, search directories. User will be able to mark all the mails in selected directories as **Okunmus**, **Okunmamis**, **Yildizli**, and **Yildizsiz** in **Dizin Islemleri...** combo box. Also s/he can empty selected directories. Archiving mails can be done after selecting directories and clicking **Arsivle**.

Descriptions:

User can hold contacts/contact lists to save the address of friends. After that s/he can directly access to these contacts/contact lists and mail to them. Most of the parts of the above interface are the same and explained before (we think that standardization is important and tried to do them similar. So that user can be adapted to our system happily). The different part is **Dosyadan Ekle**. Here we will serve mechanism to save contacts to files and after if necessary user can add them back to the

system. User can put some of the contacts into **Hizli Kontaklar** by selecting from **Hizli Kontak Secenekleri...** combo box. S/he can put important contacts to the **Hizli Kontaklar** by selecting **Her zaman**, or sometimes s/he can use **Hicbir zaman** or **Auto** settings. User can change the locations of the contacts in the **Settings...** combo box. User can move contacts from one contact lists to other or to new contact lists. Also s/he can select, delete contacts.

Descriptions:

Detailed searching is very important. Users so many times need that. Here we have some ideas to help them. As it can be seen easily, s/he can search mails in selected directories. After searching s/he can put listed mails into newly created directory. The system checks written keywords in **Gönderen**, **Alıcılar**, **Konu**, and **Posta Metni** fields. It also compares values with the **Ekleni** field and also look for the related time interval. From the **Aranacak Posta Secenekleri...** combo box user may select properties of mails (i.e **Okunmus**, **Yildizli...**)



Descriptions:

Picture search is very useful part of our project. So many times, to find the picture in the attachments of mails, we searched all the mails with attachments. User can search pictures and archive selected pictures.



Descriptions:

Attachment search is very important. User can search in attachments and archive selected attachments. Sort according to their name, topic date etc. User can see which attachment in which place. We will provide some useful information about locations and properties of attachments that correspond to search. (i.e we show the number of contacts in directories or types of contacts and dates etc...)

Filtreleme

[Yeni Filtre](#)

Filtre Adı: [Dosyadan Ekle...](#)

Kimden: İçeriyor / İçermiyor: tolga@thykotech.com; metu.ceng.test

Alıcılar: İçeriyor / İçermiyor: fuat@thykotech.com; metu.ceng.kult.sinema

Konu: İçeriyor / İçermiyor:

Posta Metni: İçeriyor / İçermiyor:

Eklenti Adı: İçeriyor / İçermiyor:

☐ Eklenti İçerenler

Eşleme İçin:

☐ Üstteki Seçeneklerin Hepsini ☐ Üstteki Seçeneklerin Herhangi Biri

☐ İletileri Yıldızla

☐ İletileri Sil

☐ Yönlendir: burak@thykotech.com; metu.ceng.kult.dizi

☐ İletileri Taşı: Hedef...

Seç: [\[tümü\]](#) [\[hiçbiri\]](#) Filtrelerim 2 / 2 [\[<<\]](#) [\[<\]](#) [\[>\]](#) [\[>>\]](#)

[İsim](#) [Etkin mi?](#)

☐ Çok Ciddi Postalar Filtre Seçenekleri...

☐ Sıkıcı Postalar Filtre Seçenekleri...

Seç: [\[tümü\]](#) [\[hiçbiri\]](#) Filtrelerim 2 / 2 [\[<<\]](#) [\[<\]](#) [\[>\]](#) [\[>>\]](#)

Descriptions:

Filtering is a very popular and useful idea. Most important thing in filtering is forwarding mails and automatically deleting unwanted mails. As above, user can add more than one filter. User also can add new filters from file. After setting keywords, user determines what s/he wants to do with incoming mails that fit into defined filter. User can forward mails to different email addresses / email lists / news groups. Also s/he can move mails to defined directory instead of **Gelen Kutusu**. Setting filters active or deactivate is important and user can edit these options. Also user can delete filters.

Otomatik Cevaplandırma

[Otomatik Cevaplandırma Ekle](#)

Otomatik Cevaplandırma Adı: [Dosyadan Ekle...](#)

☐ Yığın yada liste iletilerine cevap gönderme

Yanıt Gönderilmeyecek Adresler:

Yanıt Gönderilecek Adresler:

☐ Tüm Gelenlere ☐ Sadece kontaklarım

☐ Yanıt Gönderilmeyecek Adresler Haricindeki Tüm Gelenlere

☐ Sadece Yanıt Gönderilecek Adreslere

Otomatik Posta Konusu:

 C:\Resimlerim\Wallpaper Images\woodup.bmp [Gözet](#) [İptal](#) [Yeni](#)

B I U F T  [Yazım Kontrolü](#)

Otomatik Posta Metni:

[Kaydet](#) [İptal](#)

[Arşivle](#) [Sil](#) Otomatik Cevaplandırma Ara Otomatik Cevaplarım 1 / 1

Seç: [\[tümü\]](#) [\[hiçbiri\]](#) [\[<<\]](#) [\[<\]](#) [\[>\]](#) [\[>>\]](#)

[İsim](#) [Etkin mi?](#)

☐ Arkadaşlarım Otomatik Posta Seçenekleri... [\[düzenle\]](#)

Seç: [\[tümü\]](#) [\[hiçbiri\]](#) Otomatik Cevaplandırma Ara Otomatik Cevaplarım 1 / 1

[Arşivle](#) [Sil](#) [\[<<\]](#) [\[<\]](#) [\[>\]](#) [\[>>\]](#)

Descriptions:

Otomatik Cevaplandırma is a mechanism that mostly used when user go on a holiday. User can add new **Otomatik Eposta**. After addition user can activate or deactivate it. Besides s/he can archive or delete them.

Ayarlar

Görünecek İsimim: Nurettin Burak ÖMEROĞLU

İkincil EPosta:

Sayfa Başına Maksimum Posta Sayısı: 25

Resmim: Gözet

Yükle İptal

İmzam:

Değişiklikleri Kaydet İptal

Descriptions:

Generally we are bored when we have to fill so many text boxes, combo boxes and so on. We minimized settings for user not let him/her be bored. User can add more than one email to our system. S/he can edit name and picture in the system. Can put signature that shown at the end of each mail. Also user can set the number of the mails per page.

5.4 - GUIs Related To Mail Lists – (Groups):

Genel

Gruplarım [yen] [düzenle]
odu iletisim-[sahibi] [yönet]
fen lisesi 2004
Profilim

Detaylı Arama...
Grup Ara

Seç: [tümü] [hiçbiri] Terket


İsim	Üye Sayısı	Kullandığı Eposta	Erişim Düzeyi
odu iletisim-[sahibi]	23	burak@thyketech.com	Kısıtlı [yönet] [üye ekle]
☐ fen lisesi 2004	121	nbomeroğlu@gmail.com	Herkese Açık

Seç: [tümü] [hiçbiri] Terket

Gruplarım 2 / 2


Descriptions:

Here, we used **Grup** instead of **Eposta Listesi** as users adapted this usage. User will define his/her groups. S/he can add new groups and edit settings of the groups. Also s/he checks the **Profilim** for changing personal information. User can search groups that are defined in our system or use detailed search if necessary. User can leave groups, edit groups.



Descriptions:

In **Genel Grup Özellikleri** window, user can add new mail to the group. Add new file and poll to the system. S/he can follow members from **Member** link and also response to **Bekleyenler**. As it is important to find uploaded files, attachments, polls, pictures and so on, we can so detailed search. User can archive mails in the group and delete mails if the settings let. Another useful thing is the message calendar that shows the numbers of incoming mails in months. User can sort rows according to their **to**, **konu**, **date**, and **size**. User can change his/her personal settings from **Ayarlar** from the left-top. Also some useful information about groups can be put at the left of the page.



Descriptions:

Instead of writing mails in the webmail user interface, user can directly and easily post mails to the groups. Also s/he can add so many attachments. **To** and **From** settings will be defined beforehand.

Anketler

[Yeni Anket](#)

Anket Adı: Şampiyonluk

Anket Sorusu: Sizce Bu Sene Kim Şampiyon Olur?

Anket Seçenekleri: Fenerbahçe; Galatasaray; Beşiktaş; Trabzon; Vestel Manisaspor

☐ Tek Seçimli ☐ Anket süresince sonuçları göster ☐ Kapalı oylama

☐ Çok Seçimli ☐ Anket sonunda sonuçları göster ☐ Açık oylama

☐ Elle kapat ☐ Anket tamamlandığında sonuçları herkese gönder

☐ 03 Aralık 2006 Pazar tarihinde kapat ☐ Anket tamamlandığında anketi oluşturana gönder

☐ Anket eklendiğini grup sahibine eposta ile bildir

☐ Anket eklendiğini herkese eposta ile bildir

Arşivle Sil Anket Ara Anketler 0 / 0

Seç: [\[tümü\]](#) [\[hiçbiri\]](#) [\[<<\]](#) [\[<\]](#) [\[>\]](#) [\[>>\]](#)

Anket Adı	Oylar	Oluşturan	Oluşturma Tarihi	Bitiş Tarihi
-----------	-------	-----------	------------------	--------------

Seç: [\[tümü\]](#) [\[hiçbiri\]](#) Anketler 0 / 0

Arşivle Sil Anket Ara [\[<<\]](#) [\[<\]](#) [\[>\]](#) [\[>>\]](#)

Descriptions:

Users can share their opinions by adding polls. Define the settings of polls and may be transfer the mail to the owner of the group. We also categorized polls and by clicking **Arşivle** we can take all the mails to our computer harddisk. We can delete polls. We can search for polls.

	Eposta	Rumuz	Katılım Tarihi	Üyelik Tipi	
☐	burak@thyketechnology.com	Kanarya	05.11.2006	Grup Sahibi	[düzenle]
☐	necati@thyketechnology.com	Polat	14.11.2006	Üye	[düzenle]
☐	kenan@thyketechnology.com	Miroğlu	15.11.2006	Üye	[düzenle]
☐	tom@thyketechnology.com	Hebele	17.11.2006	Üye	[düzenle]

Descriptions:

Members of the group can be seen in the above interface. We can delete and ban members. We can decide what to do on **Bekleyenler**. We can change **Yasaklananlar** list. We have 3 kinds of membership types. These are Grup Sahibi, Uye ve Digerleri. We can search selected eposta from **Uye Ara** combo box.

Grup Kur & Üye Ekle

Yeni Grup


Grup Adı:

Grubun Eposta Adresi: @thyketechn.com

Grubun Tanımı:

☐ Sadece Yetişkinler

Erişim Düzeyi: Düzy Tipleri...

Kontrol Resmi: 

Kaydet İptal

Üyeler Ekle

Eposta Adresleri:

☐ Davet Et ☐ Ekle

Hoşgeldiniz İletisi:

Kaydet İptal

Descriptions:


This page is the opening page of the **Groups**. User can add new grup from "Yeni Grup". Users must be accessed. In the **Düzy Tipleri...** we hold the settings for gmail. User must be passing from the control picture before getting the mail list. User can add new users. User can invite or sometimes add new **eposta adresleri**. Also users put some welcome text.

Descriptions:

As we said earlier, we have seen searching in detail. User checks written keywords with **Gönderen** contain or not, **Alıcılar** contain or not, **Konu** contain or not, **Posta Metni** contain or not, **Eklenti yok** contain or not, time interval.


Descriptions:

User can search groups in our system. S/he can search groups according to the group name, group subject, owner of the group, the number of the member, the interval of the opening dates. After setting these properties, we will search and clear.



Descriptions:

We have written the important settings for user and owner of the group. User can change its own profile which contains name, nick, location, superscription, and web site, others... User can be easily adding extra **eposta adresleri** into their profile. Sometimes users may not want any invitations and any automatic adding to the groups, so s/he can block these properties.



Ayarlar

Grubu Sil Grubu Terket

Tanımlama Ayarları

Grup Adı:

Grubun Eposta Adresi:

Grubun Tanımı:

☐ Sadece Yetişkinler

Erişim Düzeyi:

odtu_iletisim@thykotech.com

☐ Değişiklikler konusunda üyeleri bilgilendir

Grup Ayarları

Dosya Ayarları:

☐ Üyeler (yükleme/değiştirme/indirme yapar)

☐ Limitli (Üyeler indirebilir/Grup sahibi yüklemeye/değiştirme yapar)

☐ Grup sahibi (yüklemeye/değiştirme/indirme yapar)

☐ Kapalı (dosya eklenmez)

Anket Ayarları:

☐ Üyeler (oluşturma/değiştirme/oylama yapar)

☐ Limitli (Üyeler oylar/Grup sahibi oluşturma/değiştirme yapar)

☐ Grup sahibi (oluşturma/değiştirme/oylama yapar)

☐ Kapalı (anket eklenmez)

☐ Yeni birisi gruba girdiğinde / gruptan çıktığında eposta gönder

☐ Bekleyen üyeler varsa eposta gönder

Descriptions:

Group owner can delete group by clicking **Grubu Sil**. Member can leave gruba by just clicking **Grubu Terket**. Grup owner can change **Grup name, Grup Epostaları, Grubun Tanımı, Erisim Düzeyleri**. After clicking **Değişiklikleri Kaydet** all the settings applied to the current views. Also user can edit file settings and poll settings as can be seen at right. Also if user wants, s/he can let other people know changes in the system.